

20FT SHIPPING CONTAINERS / OPEN TOP SHIPPING CONTAINERS

20FT Open Top Shipping Container

LEN-P-000670



Vertical loading from above, unrestricted, by crane, hoist or gantry. This is the answer for material that exceeds standard door height or simply has to be dropped in.

CONTAINER TYPE

20FT Open Top

AVAILABILITY

New

EXTERNAL DIMENSIONS

6.058 m x 2.438 m x 2.591 m
PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.



TECHNICAL PROFILE

20FT Open Top Shipping Container

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LEN-P-000670
Product category	20ft Shipping Containers / Open Top Shipping Containers
Container type	20FT Open Top
Availability	New
External dimensions	6.058 m x 2.438 m x 2.591 m
Internal dimensions	5.898 m x 2.350 m x 2.350 m
Door opening	2.340 m W x 2.280 m H
Internal volume	32.60 m ³
Max gross weight	30,480 kg
Max payload	28,230 kg
Tare weight	2,250 kg
Floor type	Forklift-compatible plywood flooring
Color	RAL5013 Blue (default)
Condition verification	Frame integrity, flooring stability and CSC plate validation are inspected on every container before dispatch.
Paint finish	RAL5013 Blue is the standard. Custom RAL colors can be ordered; lead times may vary.
Unit variants	40FT Open Top and Hard Top configurations are also available. Please inquire for current availability.
Lead time and stock	Stock and lead time vary by region. Book early for modified units or large-scale orders.

A CLOSER LOOK



APPLICATION & FIT

Storage, freight handling or the stated container application

Selection checks: Check cargo dimensions against internal size and door opening.; Prepare level supports and adequate delivery and handling space.; Review the floor, doors and any specialist equipment against the confirmed order..

Does the nominal container length describe usable space?

Nominal length identifies the container format. Internal dimensions and door opening are the relevant checks for cargo fit; use the listed values or request the unit drawing.

Can the unit be used for international freight?

Storage suitability and shipping acceptance are different checks. Where freight service is required, verify the unit identification, condition and applicable inspection documentation.

How are delivery and after-sales terms confirmed?

Delivery charges, availability, return conditions and warranty coverage follow the current company policies and the confirmed order. Use the product reference when contacting the sales desk.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LEN-P-000670. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Current product information](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.