

40FT SHIPPING CONTAINERS / STANDARD SHIPPING CONTAINERS

40FT Standard Shipping Container

LEN-P-000677



A full-length 40-foot box in CORTEN anti-corrosive steel, available in either Cargo-Worthy or Wind & Water Tight (WWT) condition. The frame is stackable, the storage volume runs the full length of the unit and ISO corner castings are fitted, so the container is approved for intermodal use across land, sea and rail.

EXTERNAL DIMENSIONS

12.192 m × 2.438 m × 2.591 m (L × W × H)

INTERNAL VOLUME

Approx. 67.60 m³

MAX GROSS WEIGHT

30,480 kg

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.



TECHNICAL PROFILE

40FT Standard Shipping Container

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LEN-P-000677
Product category	40ft Shipping Containers / Standard Shipping Containers
External dimensions	12.192 m × 2.438 m × 2.591 m (L × W × H)
Internal volume	Approx. 67.60 m ³
Max gross weight	30,480 kg
Material	CORTEN anti-corrosive steel
Flooring	28mm marine-grade plywood (steel optional)
Commercial storage.	Tools, equipment and non-perishable inventory kept in a secure, steel-walled enclosure with passive ventilation and reinforced floors.
Export and intermodal freight.	Meets international standards for cross-border transport by truck, rail or sea, with CSC certification ready for immediate loading.
Construction site deployment.	Secure lockups, mobile job site supply rooms or temporary equipment staging areas during builds and renovations.
Container conversions.	A solid base unit for custom modifications including workshops, mobile offices, classrooms or retail installations.

A CLOSER LOOK



APPLICATION & FIT

Storage, freight handling or the stated container application

Selection checks: Check cargo dimensions against internal size and door opening.; Prepare level supports and adequate delivery and handling space.; Review the stated condition, floor, doors and any specialist equipment..

Does the nominal container length describe usable space?

Nominal length identifies the container format. Internal dimensions and door opening are the relevant checks for cargo fit; use the listed values or request the unit drawing.

Can the unit be used for international freight?

Storage suitability and shipping acceptance are different checks. Where freight service is required, verify the unit identification, condition and applicable inspection documentation.

How are delivery and after-sales terms confirmed?

Delivery charges, availability, return conditions and warranty coverage follow the current company policies and the confirmed order. Use the product reference when contacting the sales desk.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LEN-P-000677. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Current product information](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.