

20FT SHIPPING CONTAINERS / NEW SHIPPING CONTAINERS

20FT New Side Door Shipping Container

LEN-P-000688



Two OEM-fabricated swing doors are positioned along the length of this container, in addition to the full rear cargo doors. Three ways in, on a one-trip 20ft frame. Where front-only access limits workflow - staging, modular applications, high-frequency loading - the extra entry points change how the box can be used.

REAR DOORS

Standard cargo doors with 36" heavy-duty locking bars

SIDE DOORS

Two OEM-fabricated swing doors positioned along container length

LOCKING MECHANISM

Lockboxes installed on all access points for enhanced security

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.



TECHNICAL PROFILE

20FT New Side Door Shipping Container

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LEN-P-000688
Product category	20ft Shipping Containers / New Shipping Containers
Rear doors	Standard cargo doors with 36" heavy-duty locking bars
Side doors	Two OEM-fabricated swing doors positioned along container length
Locking mechanism	Lockboxes installed on all access points for enhanced security
Rear door opening	7'8" W × 7'5" H
Side door openings (each)	7'8" W × 7'4" H
Model	20FT Side Door - One Trip (New)
Deck material	Marine plywood, 19-ply Keruing-Apitong, 28mm thickness
Shell	CORTEN steel exterior, marine-grade anti-corrosion resistance
Exterior dimensions (L × W × H)	20' × 8' × 8'6"
Interior dimensions (L × W × H)	19'4" × 7'6" × 7'10"
Tare weight	5,640 lbs
Payload capacity	61,560 lbs
Gross weight rating	67,200 lbs

A CLOSER LOOK



APPLICATION & FIT

Storage, freight handling or the stated container application

Selection checks: Check cargo dimensions against internal size and door opening.; Prepare level supports and adequate delivery and handling space.; Review the stated condition, floor, doors and any specialist equipment..

Does the nominal container length describe usable space?

Nominal length identifies the container format. Internal dimensions and door opening are the relevant checks for cargo fit; use the listed values or request the unit drawing.

Can the unit be used for international freight?

Storage suitability and shipping acceptance are different checks. Where freight service is required, verify the unit identification, condition and applicable inspection documentation.

How are delivery and after-sales terms confirmed?

Delivery charges, availability, return conditions and warranty coverage follow the current company policies and the confirmed order. Use the product reference when contacting the sales desk.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LEN-P-000688. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Current product information](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.