



EQUIPMENT / PRODUCT SERIES

Built around the way you work.

40FT SHIPPING CONTAINERS / NEW SHIPPING CONTAINERS

40FT High Cube New (One Trip) Shipping Container

LEN-P-000693



One international freight journey, and nothing more, separates this 40FT High Cube from the factory. It arrives in near-pristine condition, with clean interiors, tight door seals and zero corrosion.

CONDITION

New (One Trip)

STANDARDS

ISO 6346, CSC plate certified for global shipping

HEIGHT

High Cube - 9'6" exterior, 8'10" interior clearance

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.



TECHNICAL PROFILE

40FT High Cube New (One Trip) Shipping Container

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LEN-P-000693
Product category	40ft Shipping Containers / New Shipping Containers
Condition	New (One Trip)
Standards	ISO 6346, CSC plate certified for global shipping
Height	High Cube - 9'6" exterior, 8'10" interior clearance
Material	CORTEN anti-corrosive steel panels
Flooring	28mm marine-grade plywood, Keruing-Apitong, 19-ply
Ventilation	4 weatherproof louvered vents carrying airflow
Security	integrated lockbox, 36" locking bar handles
Handling	built-in forklift pockets for safe maneuvering
Exterior dimensions	40' L × 8' W × 9'6" H
Interior dimensions	39'5" L × 7'8" W × 8'10" H



TECHNICAL PROFILE / CONTINUED

40FT High Cube New (One Trip) Shipping Container

DETAIL	PUBLISHED SPECIFICATION
Door opening	7'8" W × 8'5" H
Tare weight	8,575 lbs
Max payload	58,625 lbs
Gross weight rating	67,200 lbs
Flooring	28mm marine-grade plywood
Steel type	CORTEN (weathering steel)
Vents	4 louvered weatherproof vents
Forklift pockets	yes
Locking hardware	lockbox plus dual locking bars
Industrial equipment storage	oversized equipment, rigging, scaffolding or manufacturing inventory with vertical clearance requirements.
Export and intermodal shipping	fully compliant with global ISO/CSC standards, ready for international shipping and rail transport.
Modular conversions and construction	container office conversions, workshops, custom builds or HVAC-integrated storage.
Oversized inventory storage	palletized goods, tall racking systems, bulk raw materials or construction supplies.

A CLOSER LOOK



APPLICATION & FIT

Storage, freight handling or the stated container application

Selection checks: Check cargo dimensions against internal size and door opening.; Prepare level supports and adequate delivery and handling space.; Review the stated condition, floor, doors and any specialist equipment..

Does the nominal container length describe usable space?

Nominal length identifies the container format. Internal dimensions and door opening are the relevant checks for cargo fit; use the listed values or request the unit drawing.

Can the unit be used for international freight?

Storage suitability and shipping acceptance are different checks. Where freight service is required, verify the unit identification, condition and applicable inspection documentation.

How are delivery and after-sales terms confirmed?

Delivery charges, availability, return conditions and warranty coverage follow the current company policies and the confirmed order. Use the product reference when contacting the sales desk.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LEN-P-000693. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Current product information](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.