

20FT SHIPPING CONTAINERS / USED SHIPPING CONTAINERS

20FT Used Flat Rack Shipping Container

LEN-P-000698



A flat rack is a container platform with no roof and no side walls. That open profile is the point: cranes, forklifts, and other heavy equipment reach the deck from above or from either flank, so over-gauge and irregular cargo that will not fit inside a traditional container can still move as containerized freight. This unit is a used 20FT flat rack in Cargo.

STRUCTURE

**CORTEN anti-corrosive
high-tensile steel**

FLOORING

**28mm marine-grade solid plank
plywood**

END WALLS

**choice of fixed or collapsible ends
(based on availability)**

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.



TECHNICAL PROFILE

20FT Used Flat Rack Shipping Container

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LEN-P-000698
Product category	20ft Shipping Containers / Used Shipping Containers
Structure	CORTEN anti-corrosive high-tensile steel
Flooring	28mm marine-grade solid plank plywood
End walls	choice of fixed or collapsible ends (based on availability)
Handling access	integrated forklift pockets
Condition	Cargo Worthy, minor dents or surface rust expected
Service life	approx. 10-14 years in circulation
External, L x W x H	20' x 8' x 8'6"
Internal, L x W x H	18'6" x 7'4" x 7'4"
Tare weight	6,370 lbs
Payload capacity	68,580 lbs
Gross weight	74,950 lbs

A CLOSER LOOK



APPLICATION & FIT

Storage, freight handling or the stated container application

Selection checks: Check cargo dimensions against internal size and door opening.; Prepare level supports and adequate delivery and handling space.; Review the stated condition, floor, doors and any specialist equipment..

Does the nominal container length describe usable space?

Nominal length identifies the container format. Internal dimensions and door opening are the relevant checks for cargo fit; use the listed values or request the unit drawing.

Can the unit be used for international freight?

Storage suitability and shipping acceptance are different checks. Where freight service is required, verify the unit identification, condition and applicable inspection documentation.

How are delivery and after-sales terms confirmed?

Delivery charges, availability, return conditions and warranty coverage follow the current company policies and the confirmed order. Use the product reference when contacting the sales desk.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LEN-P-000698. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Current product information](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.