

40FT SHIPPING CONTAINERS / USED SHIPPING CONTAINERS

40FT Used Flat Rack Shipping Container

LEN-P-000744



Rail, ocean freight or on-site relocation: this cargo-worthy flat rack is engineered for the demands of non-standard cargo and offers maximum flexibility, durability and compliance for heavy-lift logistics.

CONTAINER TYPE

40FT Flat Rack - Used

CONDITION

Cargo Worthy Certified

FRAME MATERIAL

CORTEN Anti-Corrosive Steel
PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.



TECHNICAL PROFILE

40FT Used Flat Rack Shipping Container

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LEN-P-000744
Product category	40ft Shipping Containers / Used Shipping Containers
Container type	40FT Flat Rack - Used
Condition	Cargo Worthy Certified
Frame material	CORTEN Anti-Corrosive Steel
Flooring	28mm 19-ply Marine-Grade Plywood
Entry method	Top and Side Loading
Handling access	Forklift and Crane Compatible
End walls	Fixed or Collapsible (varies by unit)
Forklift pockets	Yes - Balanced for Safe Lifting
Handles and locks	Heavy-Duty, Lockable
Typical age	10-14 Years
Surface condition	May include rust or minor non-structural dents



TECHNICAL PROFILE / CONTINUED

40FT Used Flat Rack Shipping Container

DETAIL	PUBLISHED SPECIFICATION
External dimensions (L × W × H)	40' × 8' × 8'6"
Internal dimensions (L × W × H)	38'7" × 7'3" × 6'5"
Tare weight	10,800 lbs
Max payload	99,200 lbs
Gross weight rating	110,000 lbs
reinforced steel frame	me minimizes fatigue and resists deformation under high-load operations
marine plywood floor	loor is rated for heavy equipment, fabrication platforms or palletized steel
open-frame configuration	tion supports tall, wide and irregular cargo
Forklift pockets	allow safe movement of the unit when empty or unladen
Top and side loadable	by crane or forklift, which cuts handling time
End walls, fixed or collapsible	, give flexibility for stacking or stowage
Steel and fabricated materials.	Long-length steel beams, pipe bundles, cable reels or industrial tubing.
Power equipment and generators.	Relocating large-scale compressors, tanks or mobile power units under load compliance.

A CLOSER LOOK



APPLICATION & FIT

Storage, freight handling or the stated container application

Selection checks: Check cargo dimensions against internal size and door opening.; Prepare level supports and adequate delivery and handling space.; Review the stated condition, floor, doors and any specialist equipment..

Does the nominal container length describe usable space?

Nominal length identifies the container format. Internal dimensions and door opening are the relevant checks for cargo fit; use the listed values or request the unit drawing.

Can the unit be used for international freight?

Storage suitability and shipping acceptance are different checks. Where freight service is required, verify the unit identification, condition and applicable inspection documentation.

How are delivery and after-sales terms confirmed?

Delivery charges, availability, return conditions and warranty coverage follow the current company policies and the confirmed order. Use the product reference when contacting the sales desk.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LEN-P-000744. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Current product information](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.