

ALL TOILET BLOCKS / TOILET / SHOWER BLOCKS

12 x 9 ft Anti Vandal 2 + 1 Toilet Block Portable Building

LEN-P-001026



Two separate external access doors, each with its own lock and keys, divide this 12x9 ft block into gents and ladies sections. The shell is steel anti-vandal and the chassis is a jackleg modular cabin format – the combination that stands up to construction sites, public events and remote operational zones while keeping privacy, sanitation and energy-efficient.

PRODUCT FEATURE

2 × individual toilet cubicles

PRODUCT FEATURE

2 × basins with water heaters

PRODUCT FEATURE

2 × small openable windows

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.



TECHNICAL PROFILE

12 x 9 ft Anti Vandal 2 + 1 Toilet Block Portable Building

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LEN-P-001026
Product category	All Toilet Blocks / Toilet / Shower Blocks
Product feature	2 × individual toilet cubicles
Product feature	2 × basins with water heaters
Product feature	2 × small openable windows
Product feature	3 × lights (pull cord)
Product feature	1 × wall-mounted fan heater
Product feature	Electric hand dryer
Product feature	Toilet roll holders
Product feature	Consumer unit installed
Product feature	1 × wall-mounted heater
Product feature	1 × basin with water heater
Product feature	1 × small openable window
Product feature	1 × internal light (pull cord)
Product feature	Toilet roll holder
Product feature	Public festivals and community events
Product feature	Construction sites, long-term or short-term
Product feature	Emergency response and site welfare in remote locations
Product feature	Industrial or civil infrastructure projects

A CLOSER LOOK



APPLICATION & FIT

Portable welfare and sanitary facilities

Selection checks: Plan water, drainage, electrical connections and any required frost protection.; Check cubicle layout, entry clearance and accessibility requirements.; Prepare a level support area and a safe delivery and lifting route..

What services are required on site?

Water, drainage and electrical requirements depend on the listed fixtures. Check the final connection positions and arrange qualified service connections.

How should the unit be positioned?

Provide level supports, safe access, service clearances and a delivery route suitable for the actual unit dimensions and lifting method.

How are delivery and after-sales terms confirmed?

Delivery charges, availability, return conditions and warranty coverage follow the current company policies and the confirmed order. Use the product reference when contacting the sales desk.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LEN-P-001026. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Current product information](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.