

ALL TOILET BLOCKS / TOILET / SHOWER BLOCKS

2 New Toilets Double Toilet Block 8x5 Ft NEW Portable Containex 1+1 Toilet Block Light Grey

LEN-P-001049



Two independent toilet compartments in an 8x5 ft footprint - the 1+1 configuration. This brand-new double toilet block is a compact but fully equipped sanitation unit for sites, events and temporary facilities where space efficiency and reliability are essential. Privacy, durability and fast deployment come without taking up ground.

EXTERNAL SIZE

Length: 8 ft (2.40 m) Width: 5 ft (1.40 m) Height: 8 ft (2.55 m)

8 FT (2.40 M)

(2.40 m)

5 FT (1.40 M)

1.40 m)

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.




TECHNICAL PROFILE

2 New Toilets Double Toilet Block 8x5 Ft NEW Portable Containex 1+1 Toilet Block Light Grey

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LEN-P-001049
Product category	All Toilet Blocks / Toilet / Shower Blocks
External size	Length: 8 ft (2.40 m) Width: 5 ft (1.40 m) Height: 8 ft (2.55 m)
8 ft (2.40 m)	(2.40 m)
5 ft (1.40 m)	1.40 m)
8 ft (2.55 m)	(2.55 m)
Weight	Approx. 750 kg
Door width	0.79 m
Door height	1.99 m
Color	Light Gray
Condition	Brand new, unused
Availability	Ready for immediate dispatch
Aluminum checker plate flooring	durable and easy to clean
Fully insulated walls and ceiling	for all-season use
Steel-clad construction	for durability and security
4 × corner post stands	for stable placement and ease of leveling

A CLOSER LOOK



APPLICATION & FIT

Portable welfare and sanitary facilities

Selection checks: Plan water, drainage, electrical connections and any required frost protection.; Check cubicle layout, entry clearance and accessibility requirements.; Prepare a level support area and a safe delivery and lifting route..

What services are required on site?

Water, drainage and electrical requirements depend on the listed fixtures. Check the final connection positions and arrange qualified service connections.

How should the unit be positioned?

Provide level supports, safe access, service clearances and a delivery route suitable for the actual unit dimensions and lifting method.

How are delivery and after-sales terms confirmed?

Delivery charges, availability, return conditions and warranty coverage follow the current company policies and the confirmed order. Use the product reference when contacting the sales desk.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LEN-P-001049. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Current product information](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.