



20FT SHIPPING CONTAINERS / REFRIDGERATED SHIPPING CONTAINERS

20FT Used Insulated Shipping Container

LEN-P-002011



This 20FT Used Insulated Shipping Container provides a cost-effective and durable solution for industries and individuals requiring passive temperature control without active refrigeration. Originally designed as a refrigerated unit, this container has been repurposed to retain its full perimeter insulation - walls, ceiling, and floor - even though the original.

FEATURE

Specification

TYPE

20FT Used Insulated Shipping Container

EXTERIOR MATERIAL

Rust-resistant aluminum

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.



TECHNICAL PROFILE

20FT Used Insulated Shipping Container

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LEN-P-002011
Product category	20ft Shipping Containers / Refridgerated Shipping Containers
Feature	Specification
Type	20FT Used Insulated Shipping Container
Exterior Material	Rust-resistant aluminum
Interior Material	Stainless steel - hygienic and food-safe
Flooring	Seamless stainless steel, sealed and smooth
Reefer Unit	Present but non-operational
Condition	Wind & Watertight, Cargo-Worthy, 12-point inspected
Age Range	Approx. 10-14 years
Handling	Built-in forklift pockets
Security	Lockable door handles - padlock compatible
Ventilation	Passive (sealed housing via original reefer)



TECHNICAL PROFILE / CONTINUED

20FT Used Insulated Shipping Container

DETAIL	PUBLISHED SPECIFICATION
External	20' (L) x 8' (W) x 8'6" (H)
Internal	17'10" (L) x 7'6" (W) x 7'5" (H)
Door Opening	7'6" (W) x 7'4" (H)
Empty Weight	6,880 lbs
Payload Capacity	60,320 lbs
Gross Weight	67,200 lbs
Passive Thermal Protection	Preserves stable temperatures for sensitive goods
Sanitary Surface Finish	Ideal for dry food storage and veterinary use
Double Doors with Gaskets	Tight seal for moisture, wind, and dust control
Structural Integrity	12-point inspection confirms water-tightness, door function, and weld security
Portable & Lockable	Ready for secure deployment on farms, worksites, or mobile builds
12-point inspection	ction
cosmetic rust or minor dents	metic rust or minor dents , with no impact on function

A CLOSER LOOK



APPLICATION & FIT

Storage, freight handling or the stated container application

Selection checks: Check cargo dimensions against internal size and door opening.; Prepare level supports and adequate delivery and handling space.; Review the stated condition, floor, doors and any specialist equipment..

Does the nominal container length describe usable space?

Nominal length identifies the container format. Internal dimensions and door opening are the relevant checks for cargo fit; use the listed values or request the unit drawing.

Can the unit be used for international freight?

Storage suitability and shipping acceptance are different checks. Where freight service is required, verify the unit identification, condition and applicable inspection documentation.

How are delivery and after-sales terms confirmed?

Delivery charges, availability, return conditions and warranty coverage follow the current company policies and the confirmed order. Use the product reference when contacting the sales desk.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LEN-P-002011. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Current product information](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.