CURTAIN SIDE TRAILERS

3-Axle Curtain Side Trailer

LNV-TRL-048

3-Axle Curtain Side Trailer is intended for side-access distribution and palletized freight. Sliding curtains provide flexible side access while the trailer retains an enclosed freight format.

PRODUCT NAME	OVERALL DIMENSION	PAYLOAD
3 Axle Curtain Side Trailer	**13750x2500x4000mm**	**40000kg**

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.

+1(406)208-3582 | info@lenovagroupltd.org
lenovagroupltd.org

TECHNICAL PROFILE

3-Axle Curtain Side Trailer

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LNV-TRL-048
Product category	Curtain Side Trailers
Product Name	3 Axle Curtain Side Trailer
Overall dimension	13750x2500x4000mm
Payload	40000kg
Side	made of reinforced PVC curtains
Axle	3 axles
Tire	12 units
Suspension	mechanical spring suspension
Landing Gear	JOST
Kingpin	3.5"JOST, exchangeable
Brake System	WABCO brake valve
Electrical System	24V, LED lamp

+1(406)208-3582 | info@lenovagroupltd.org
lenovagroupltd.org

A CLOSER LOOK

APPLICATION & FIT

Side-access distribution and palletized freight

Selection checks: Side and rear access clearance; Internal dimensions and pallet plan; Roof, post and curtain arrangement; Restraint fittings and ratings; Dock and forklift loading requirements.

What configuration does this listing describe?
The technical table reproduces the manufacturer-listed equipment for this model. Where alternative components or sizes are listed, the order specification must identify the selected option.

How should I assess the working load?
The manufacturer lists 40000kg. Match the actual load to the documented trailer rating, axle and tire limits, tractor capability and route requirements. A supplier capacity figure alone does not establish the permitted road payload.

What information is needed to select the right version?
Provide side and rear access clearance, internal dimensions and pallet plan, roof, post and curtain arrangement, together with the delivery ZIP code and the intended operating route. This allows the configuration and delivery plan to be checked against the job.

What is included with delivery?
The confirmed order identifies the trailer specification, supplied accessories and delivery scope. Delivery charges and eligibility follow the company shipping policy; do not assume an optional pump, compressor, hydraulic kit or other accessory is included unless specified.

What should I check for US use?
Verify the model-specific identification and certification documents, import eligibility and registration requirements before ordering for US road use. Published supplier specifications do not establish US approval.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LNV-TRL-048. Tell us the application, required configuration and delivery ZIP code.
View the current product page | Contact the sales desk

Reference: Manufacturer model specification. Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.

+1(406)208-3582 | info@lenovagroupltd.org
lenovagroupltd.org