

3-Axle Box Van Semi-Trailer with Side Door

LNV-TRL-057



3-Axle Box Van Semi-Trailer with Side Door is intended for enclosed transport for packaged and palletized freight. An enclosed body shelters cargo and creates a defined load space for planned loading patterns.

PRODUCT NAME

3-Axle Box Van Semi Trailer

BOX DIMENSIONS

12500*2500*4000 mm(container height:2200mm)

MAIN BEAM

Top flange 14mm, bottom flange 16mm, web plate 8mm

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.



TECHNICAL PROFILE

3-Axle Box Van Semi-Trailer with Side Door

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LNV-TRL-057
Product category	Box Van Semi-Trailers
Product Name	3-Axle Box Van Semi Trailer
Box Dimensions	12500*2500*4000 mm(container height:2200mm)
Main Beam	Top flange 14mm, bottom flange 16mm, web plate 8mm
Axles	3 ×13T
Tires	12 × 12R22.5
Wheel Rims	12 × 9.0, 13mm
Leaf Springs	10×90mm×13mm
Landing Gear	28T
Kingpin	90#
Brake Valve	WABCO
Suspension	Mechanical suspension

A CLOSER LOOK



Additional product photographs are available in the online gallery.

APPLICATION & FIT

Enclosed transport for packaged and palletized freight

Selection checks: Internal load dimensions; Door opening clearance; Floor rating and dock interface; Interior restraint fittings; Weather sealing and ventilation.

What configuration does this listing describe?

The technical table reproduces the manufacturer-listed equipment for this model. Where alternative components or sizes are listed, the order specification must identify the selected option.

How should I assess the working load?

Match the actual load to the documented trailer rating, axle and tire limits, tractor capability and route requirements. A supplier capacity figure alone does not establish the permitted road payload.

What information is needed to select the right version?

Provide internal load dimensions, door opening clearance, floor rating and dock interface, together with the delivery ZIP code and the intended operating route. This allows the configuration and delivery plan to be checked against the job.

What is included with delivery?

The confirmed order identifies the trailer specification, supplied accessories and delivery scope. Delivery charges and eligibility follow the company shipping policy; do not assume an optional pump, compressor, hydraulic kit or other accessory is included unless specified.

What should I check for US use?

Verify the model-specific identification and certification documents, import eligibility and registration requirements before ordering for US road use. Published supplier specifications do not establish US approval.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LNV-TRL-057. Tell us the application, required configuration and delivery ZIP code.

[View the current product page](#) | [Contact the sales desk](#)

Reference: [Manufacturer model specification](#). Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.