CAR CARRIER TRAILERS

Double Deck Car Carrier Trailer

LNV-TRL-075

Double Deck Car Carrier Trailer is intended for vehicle distribution using the confirmed carrier layout. Deck configuration, loading access and restraint fittings determine the practical vehicle mix.

DIMENSION(MM)	GROSS VEHICLE WEIGHT	PAYLOAD
22000x2550x3980mm	28000kg	40T

PRODUCT PHOTOS. TECHNICAL DATA. PRACTICAL SELECTION GUIDANCE.

TECHNICAL PROFILE

Double Deck Car Carrier Trailer

Published product information. Check the final configuration, supplied equipment and unit-specific documents against the confirmed order.

DETAIL	PUBLISHED SPECIFICATION
Product reference	LNV-TRL-075
Product category	Car Carrier Trailers
Dimension(mm)	22000x2550x3980mm
Gross Vehicle Weight	28000kg
Payload	40T
Axle	2×13T
Tire	8×295/60R22.5
Kingpin	90#
Suspension	mechanical spring suspension
Brake System	WABCO-wake valve
Landing Gear	JOST
Electrical System	24V, LED lamp

+1(406)208-3582 | info@lenovagroupltd.org
lenovagroupltd.org

A CLOSER LOOK

APPLICATION & FIT

Vehicle distribution using the confirmed carrier layout

Selection checks: Vehicle mix and total mass; Usable deck positions; Ramp angle and ground clearance; Restraint hardware and ratings; Loaded overall dimensions.

What configuration does this listing describe?
The technical table reproduces the manufacturer-listed equipment for this model. Where alternative components or sizes are listed, the order specification must identify the selected option.

How should I assess the working load?
The manufacturer lists 40T. Match the actual load to the documented trailer rating, axle and tire limits, tractor capability and route requirements. A supplier capacity figure alone does not establish the permitted road payload.

What information is needed to select the right version?
Provide vehicle mix and total mass, usable deck positions, ramp angle and ground clearance, together with the delivery ZIP code and the intended operating route. This allows the configuration and delivery plan to be checked against the job.

What is included with delivery?
The confirmed order identifies the trailer specification, supplied accessories and delivery scope. Delivery charges and eligibility follow the company shipping policy; do not assume an optional pump, compressor, hydraulic kit or other accessory is included unless specified.

What should I check for US use?
Verify the model-specific identification and certification documents, import eligibility and registration requirements before ordering for US road use. Published supplier specifications do not establish US approval.

PLAN YOUR ORDER WITH LENOVA GROUP

Quote reference LNV-TRL-075. Tell us the application, required configuration and delivery ZIP code.
View the current product page | Contact the sales desk

Reference: Manufacturer model specification. Reviewed 21 October 2026. This brochure is a product guide; the final order specification and current company policies define the supplied scope.

+1(406)208-3582 | info@lenovagroupltd.org
lenovagroupltd.org